



HOLCHEM
SAFETY DATA SHEET

OPTIMUM HEAVY DUTY CLEANER

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OPTIMUM HEAVY DUTY CLEANER
Product number OPTK3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Caustic Detergent. For professional use only.
Uses advised against Not for direct contact with Food or Beverage stuffs. Not for oral consumption. Not for use by hand.

1.3. Details of the supplier of the safety data sheet

Supplier Holchem Laboratories Limited
Gateway House, Pilsworth Road,
Pilsworth Industrial Estate,
Bury, Lancashire (UK)
BL9 8RD

+44 (0) 1706 222288
+44 (0) 1706 221550
info@holchem.co.uk

Manufacturer

1.4. Emergency telephone number

Emergency telephone Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice please call:- 0870 190 6777. NOTE: This number will not provide technical details of the product, or deal with other general enquiries regarding application and use of the product. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Met. Corr. 1 - H290

Health hazards

Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards

Not Classified

2.2. Label elements

Pictogram

OPTIMUM HEAVY DUTY CLEANER

**Signal word**

Danger

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P234 Keep only in original container.
P280 Wear protective gloves, eye and face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/attention.

Contains

SODIUM HYDROXIDE, SODIUM ALKYL ETHER SULPHATE

Detergent labelling

< 5% anionic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants

Supplementary precautionary statements

P404 Store in a closed container.
P501 Dispose of contents/container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Note:- H290 May be Corrosive to Metals Classification relates to Soft Metals such as Aluminium and Copper, when used correctly this product is not expected to be corrosive to 304 and 316 Stainless Steel.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

SODIUM HYDROXIDE	1-5%
CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27	
Classification	Classification (67/548/EEC or 1999/45/EC)
Met. Corr. 1 - H290	C;R35
Skin Corr. 1A - H314	
SODIUM ALKYL ETHER SULPHATE	1-5%
CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-2119488639-16	
Classification	Classification (67/548/EEC or 1999/45/EC)
Skin Irrit. 2 - H315	Xi; R38, R41
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	
2-(2-BUTOXYETHOXY)ETHANOL	1-5%
CAS number: 112-34-5 EC number: 203-961-6 REACH registration number: 01-2119475104-44	
Classification	Classification (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xi;R36

OPTIMUM HEAVY DUTY CLEANER

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT		1-5%
CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-2119486762-27		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R20,R22. Xi;R41.	
Acute Tox. 4 - H332		
Eye Dam. 1 - H318		
ALKYL DIMETHYL AMINE OXIDE		<1%
CAS number: 308062-28-4 EC number: 931-292-6 REACH registration number: 01-2119490061-47		
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn; R22. Xi; R38, R41. N; R50/53	
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.

Inhalation

Remove affected person from source of contamination. Provide rest, warmth and fresh air. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Rinse mouth thoroughly. Place unconscious person on their side in the recovery position and ensure breathing can take place. Get medical attention.

Skin contact

Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

Protection of first aiders

First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information

Neat product may cause chemical burns and permanent eye damage. Dilute product may cause irritation to the skin and eyes.

Inhalation

Inhalation of neat product is unlikely. However, inhalation of mists or vapours of diluted product may result in soreness, irritation or burns to the mouth, nose and respiratory tract.

Ingestion

Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, chemical burning of mouth, throat and GI tract will occur. If dilute chemical is ingested, soreness of mouth, throat and GI tract may occur together with redness and blistering.

OPTIMUM HEAVY DUTY CLEANER

Skin contact

May cause serious chemical burns to the skin.

Eye contact

May result in permanent eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Contains Surfactants, Chelants and Sodium Hydroxide in Aqueous solution. Rinse well with water to neutral pH.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

This product will not support combustion and is not flammable. Use an extinguishing media suitable for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards

The product is non-combustible. Irritating gases or vapours.

In contact with some metals (Aluminium, Zinc and their Alloys) Hydrogen Gas is formed, which may form an explosive mixture with air. Note - Comment refers to neat product.

5.3. Advice for firefighters

Protective actions during firefighting

Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect spillage for reclamation or disposal in sealed containers via a licensed waste contractor. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections

See sections 8, 12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Refer to section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

OPTIMUM HEAVY DUTY CLEANER

Keep container tightly closed. Keep only in the original container. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Store between 0 and 40 Degrees C.

7.3. Specific end use(s)

Specific end use(s)

Detergent, refer to Product Information Sheet for full details.

Usage description

This product is suitable for use in food preparation areas, but is not designed for direct food contact.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments

The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted.

Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued.

Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. This is taken from the Chemical Agents Directive (98/24/EC). DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m ³ DNEL data for Professional users is not yet available, but it is assumed to be the same as for Industrial users. Industry - Dermal; Short term local effects: 2%
PNEC	- ; - No information is available for PNEC data for Sodium Hydroxide

OPTIMUM HEAVY DUTY CLEANER

SODIUM ALKYL ETHER SULPHATE (CAS: 68891-38-3)

DNEL Professional - Dermal; Long term systemic effects: 2750 mg/kg/day
Professional - Inhalation; Long term systemic effects: 175 mg/m³
General population - Oral; Long term systemic effects: 15 mg/kg/day
General population - Dermal; Long term systemic effects: 1650 mg/kg/day
General population - Inhalation; Long term systemic effects: 52 mg/m³

PNEC - Fresh water; 0.24 mg/l
- Marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment (Freshwater); 5.45 mg/kg
- Sediment (Marinewater); 0.545 mg/kg
- Soil; 0.946 mg/kg
- STP; 10 g/l

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

DNEL Professional - Inhalation; Short term local effects: 14 ppm
Professional - Dermal; Long term systemic effects: 20 mg/kg bw/day
Professional - Inhalation; Long term systemic effects: 10 ppm
Professional - Inhalation; Long term local effects: 10 ppm

PNEC - Sediment (Marinewater); 0.4 mg/kg
- Marine water; 0.1 mg/l
- STP; 200 mg/l
- Sediment (Freshwater); 4 mg/l
- Soil; 0.4 mg/l

ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT (CAS: 64-02-8)

DNEL Professional - Inhalation; Long term systemic effects: 2.5 mg/m³
Professional - Inhalation; Long term local effects: 2.5 mg/m³
Professional - Inhalation; Short term systemic effects: 2.5 mg/m³
Professional - Inhalation; Short term local effects: 2.5 mg/m³

PNEC - Fresh water; 2.2 mg/l
- Marine water; 0.22 mg/l
- Intermittent release; 1.2 mg/l
- Soil; 0.72 mg/kg
- STP; 43 mg/kg

ALKYL DIMETHYL AMINE OXIDE (CAS: 308062-28-4)

DNEL Professional - Dermal; Long term systemic effects: 11 mg/kg/day
Professional - Inhalation; Long term systemic effects: 15.5 mg/m³ 8h
Professional - Dermal; Long term local effects: 0.27 %
General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
General population - Inhalation; Long term systemic effects: 3.8 mg/m³
General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC - Fresh water; 0.0335 mg/l
- Marine water; 0.00335 mg/l
- Intermittent release; 0.0335 mg/l
- Sediment (Freshwater); 1.02 mg/kg
- Sediment (Marinewater); 24 mg/kg
- Soil; 1.02 mg/kg
- STP; 24 mg/kg

8.2. Exposure controls

Protective equipment



OPTIMUM HEAVY DUTY CLEANER

Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

Wear approved, tight fitting safety glasses where splashing is probable. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

Impervious Chemical Resistant Gloves of Butyl Rubber, PVC, Polychloroprene with a natural latex liner, all with a minimum material thickness 0.5mm and a breakthrough time of >480mins. Alternatively Nitrile Rubber, Fluorinated Rubber, both with a minimum thickness of 0.35 - 0.4mm and a breakthrough time of >480minutes.

Refer to Standard EN 374.

Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Contaminated clothing and shoes must be discarded. Provide eyewash station and safety shower.

Respiratory protection

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Workplace Exposure Limit. In the case of dust or aerosol formation (eg spraying), or vapour from hot vessels, use respiratory protection with an approved filter (P2).

Environmental exposure controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13.

Users of this product should consult local drainage and permitting authorities to ensure that any restrictions or discharge consents are adhered to. Discharge of solutions into effluent systems (including municipal drains) or to surface water are expected to cause significant pH changes. Discharge of solutions should be carried out such that pH changes are minimised. Where necessary pH buffering measures should be adopted.

General Health and Safety Measures.

The above requirements refer to the neat product. A 5% solution of this product would not be classified. However, we would recommend eye protection if there is a risk of splashing, also use of gloves.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Clear liquid.

Colour

Red.

Odour

Detergent

Odour threshold

OPTIMUM HEAVY DUTY CLEANER

Not applicable.

pH

pH (concentrated solution): >13 pH (diluted solution): 11 - 12

Melting point

Not applicable.

Initial boiling point and range

Not applicable.

Flash point

Not applicable.

Evaporation rate

Not applicable.

Evaporation factor

Not applicable.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Not applicable.

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

1.05 @ 20 Degrees C

Bulk density

Not applicable.

Solubility(ies)

Soluble in water.

Partition coefficient

Not applicable.

Auto-ignition temperature

Not applicable.

Decomposition Temperature

Not applicable.

Viscosity

Not determined.

Explosive properties

Not applicable.

Explosive under the influence of a flame

Not considered to be explosive.

Oxidising properties

Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index

Not applicable.

Particle size

Not applicable.

Molecular weight

OPTIMUM HEAVY DUTY CLEANER

Not applicable.

Volatility

Not applicable.

Saturation concentration

Not applicable.

Critical temperature

Not applicable.

Volatile organic compound

Not applicable.

Explosive Properties Not Classified as Explosive

Storage Temperature Range 0 to 40 Degrees C

SECTION 10: Stability and reactivity

10.1. Reactivity

Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions. The solution is strongly alkaline and reacts with strong acids with heat generation.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous reactions

Refer to section 10.1. Do not mix with acids, this will generate heat and give off corrosive vapours.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid

Strong acids.

Reaction with Aluminium, Zinc, Tin, Copper or their alloys produces flammable Hydrogen Gas.

10.6. Hazardous decomposition products

No specific hazardous decomposition products noted. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)

106,400.0

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l)

131.57894737

Respiratory sensitisation

No evidence of respiratory sensitisation for any component of this formulation.

Skin sensitisation

No evidence of skin sensitisation for any component of this formulation.

Carcinogenicity

The components of this formulation are corrosive to skin and the respiratory tract, but will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility

OPTIMUM HEAVY DUTY CLEANER

The components of this formulation are corrosive to the skin and respiratory tract, but will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or the developing foetus.

General information

Toxic effect linked with corrosive properties. See section 4.2.

Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

Ingestion

Causes severe burns. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact

Causes severe burns.

Eye contact

Risk of serious damage to eyes. May cause permanent eye injury.

SECTION 12: Ecological Information

Ecotoxicity

This product is not classified as hazardous to the environment. However it contains a component (or components) that is (are) classified as very toxic to the aquatic environment in their neat form. Normal use is unlikely to pose a risk to the environment.

12.1. Toxicity

Acute toxicity - fish

Normal use of diluted product is unlikely to pose a risk. See note 12.0.

12.2. Persistence and degradability

Persistence and degradability

This product consists mainly of inorganic components for which biodegradation assessment is not applicable. The product meets the requirements of the European Detergents Regulation 648/2004 as amended.

12.3. Bioaccumulative potential

Not expected to bioaccumulate.

Partition coefficient

Not applicable.

12.4. Mobility in soil

Mobility

The product contains substances which are water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

OPTIMUM HEAVY DUTY CLEANER**14.1. UN number**

UN No. (ADR/RID)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID subsidiary risk	
ADR/RID label	8
IMDG class	8
IMDG subsidiary risk	
ICAO class/division	8
ICAO subsidiary risk	

Transport labels**14.4. Packing group**

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS	F-A, S-B
Emergency Action Code	2R
Hazard Identification Number (ADR/RID)	80

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation**

European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures. This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH

OPTIMUM HEAVY DUTY CLEANER

Regulation (EC) No.1907/2006.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. COSHH - Control of Substances Hazardous to Health.

DNEL - Derived No Effect Limit.

Industry - Refers in section 8 to application of the substance in an industrial process.

NPIS - National Poisons Information Service.

PBT - Persistent, Bioaccumulative & Toxic.

Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006).

vPvB - Very Persistent, Very bioaccumulative.

General information

Only trained personnel should use this material.

This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment.

The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.

Revision comments

Review in line with CLP Regulation.

Revision date 30/03/2015

Risk phrases in full

R20 Harmful by inhalation.
R22 Harmful if swallowed.
R34 Causes burns.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R35 Causes severe burns.
R50 Very toxic to aquatic organisms.
R41 Risk of serious damage to eyes.
R38 Irritating to skin.

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

REACH extended MSDS comments

REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.

OPTIMUM HEAVY DUTY CLEANER

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.